

Appl. No. 10/690,225

Amendment dated April 26, 2005

Reply to Office Action of February 1, 2005

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (currently amended) In a displacement control device (1) adapted to move a member (23) relative to a body (7), said displacement control device including a drive means (2, 3) and an emergency actuator (8) arranged mechanically in series with said member, said actuator including a housing (16) and a spring (14) arranged to act between said housing and said member, wherein the improvement ~~comprises~~ comprising:

said actuator including a toggle linkage (9) acting between said housing and said spring, said toggle linkage having two pivotally-connected links (10, 11) that are adapted to be selectively moved between a collapsed position at which said links are arranged at an acute included angle, and an extended position at which said links are arranged at an obtuse included angle slightly less than 180°, said spring being arranged to act on said toggle linkage at all relative link positions between said collapsed and extended positions, said toggle linkage being arranged such that said spring will be more greatly compressed when said links are in said extended position than when said links are in said ~~compressed~~ collapsed position.

Claim 2 (original) The improvement as set forth in claim 1 and further comprising a latching means for constraining the links in their extended position as the housing is moved away from the body to open the valve.

Claim 3 (original) The improvement as set forth in claim 2 wherein said latching means is magnetically operated.

Appl. No. 10/690,225

Amendment dated April 26, 2005

Reply to Office Action of February 1, 2005

Claim 4 (original) The improvement as set forth in claim 3 wherein said latching means includes at least one latching pin.

Claim 5 (original) The improvement as set forth in claim 4 wherein said latching means includes a solenoid having an armature, and wherein said armature is associated with said latching pin such that said solenoid will move said latching pin to an unlatched position in the absence of electrical power to the solenoid.

Claim 6 (original) The improvement as set forth in claim 1 wherein said drive means includes an externally-threaded rotatably-driven screw.

Claim 7 (original) The improvement as set forth in claim 6 wherein said drive means includes an internally-threaded nut connected to said housing, and wherein said screw is matingly received in said nut such that rotation of said screw will cause linear movement of said housing relative to said body.

Claim 8 (original) The improvement as set forth in claim 1 wherein the range of motion of said member is about 30 mm.

Claim 9 (original) The improvement as set forth in claim 1 wherein said displacement control device is arranged to cause said member to engage said body with a force of up to about 250 kN.

Claim 10 (original) The improvement as set forth in claim 1 wherein said links are arranged at an obtuse included angle of about  $172^{\circ}$ - $177^{\circ}$  when said links are in said extended position.

Claim 11 (original) The improvement as set forth in claim 1 wherein said spring is arranged to move said links from said extended position to said collapsed position is less than 200

Appl. No. 10/690,225  
Amendment dated April 26, 2005  
Reply to Office Action of February 1, 2005

milliseconds.

Claim 12 (original) The improvement as set forth in claim 1 wherein said latching means includes at least one solenoid armature mounted on one of said links.

Claim 13 (original) The improvement as set forth in claim 12 wherein said solenoid has a magnetic circuit operatively arranged to move said armature.